

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... MAY 01 1990

Returned to applicant for correction.....

Corrected application filed.....

Map filed..... MAY 01 1990

The applicant..... Sam J. Payan

1890 Cougar Avenue, of Las Vegas,
Street and No. or P.O. Box No. City or Town

Nevada 89123, hereby make.... application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.)

1. The source of the proposed appropriation is..... An underground source in the Las Vegas
Name of stream, lake, spring, underground or other source
Artesian Basin, Clark County, Nevada

2. The amount of water applied for is..... 0.11..... second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for..... Domestic "Quasi-Municipal" (2 homes)
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point..... SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 14, Township 22
Describe as being within a 40-acre subdivision of public

South, Range 61 East, M.D.M., Clark County, Nevada, or at a point which the
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

Southeast corner of Sec. 14 bears S 55° 58' 15" E 2791.61'.

6. Place of use..... Part of the E $\frac{1}{4}$ of the NW $\frac{1}{4}$ of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Section 14, Township
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

22 South, Range 61 East, M.D.M., Clark County, Nevada.

7. Use will begin about..... Jan. 1..... and end about..... Dec. 31....., of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.)..... Well, Electric Submersible Pump,
State manner in which water is to be diverted, i.e. diversion structure, ditches and

Hydro-Pneumatic Tank, 150 feet of 1" diameter water line.
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works..... Existing

10. Estimated time required to construct works. Well is existing- 12 1/4" well, 300' deep,
If well completed, describe works.

pump 50 gallons per minute.

11. Estimated time required to complete the application of water to beneficial use. 1 year

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

The water will be used to serve two homes for domestic and landscaping
purposes.

By s/Sam J. Payan
1890 Cougar Avenue
Las Vegas, Nevada 89123

Compared bc/ se am/vjw

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.11 cubic feet per second, but not to exceed 0.73 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before October 16, 1992

Proof of completion of work shall be filed on or before November 16, 1992

Application of water to beneficial use shall be made on or before October 16, 1995

Proof of the application of water to beneficial use shall be filed on or before November 16, 1995

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed DEC 8 - 1992

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
 State Engineer of Nevada, have hereunto set my hand and the seal of my

office, this 16th day of October,

A.D. 19 90


 State Engineer